


Operation Manual

KOMBO: E-Z INSTRUCTIONS

ADJUSTMENTS




PUNCHING

#21 on the black


punch diagram).

Handle upright, put sheets flush into machine. (Use side guide for side adjustment.)




Pull the handle down for punching. Return the handle to its upright position to remove the paper.

2 Turn




BINDING

Place binding element, open side up, behind metal fingers.




Push handle to the rear to open rings.


Insert paper vertically, cover facing you.



10 Lay paper down horizontally, then put handle back to vertical position.



11 Remove book vertically.





KOMBO (27140)


Binding Systems

Fully Adjustable Plastic Comb Binding System

SPECIAL FEATURES:

- Versatile option for binding both standard and odd size documents
- Binds up to 2" or 425 sheets*
- 21 disengageable punching dies; 20 sheets per punch
- Manual punch and manual plastic binding system
- Punch 7,200 sheets per hour; bind 250 books per hour
- For books up to 12" in length
- Open throat construction allows punching of oversized documents
- 4 position depth selector varies distance between the punched hole and the paper's edge from %e" to %e" – larger documents require larger margins
- Adjustable side guide for proper paper and cover alignment
- Easy access, front-opening waste and storage drawer
- Progressive cutting dies for precise punching and little paper dust
- Variety of textured covers and colored combs available
- Dimensions: 19¾" W x 11¾" D x 17" H (with lever)

■ Weight: 23.0 lbs.



APPLICATIONS:

- Client Presentations
- Employee Handbooks
- Pricing Lists
- Business Proposals
- School Reports
- Recipe Books

LIMITED ONE YEAR WARRANTY

RUGGED METAL CONSTRUCTION

*Standard 20lb, bond paper



Advanced Document Systems & Supply, Inc.

> Phone (800) 808-2377 Fax (888) 237-7329